


ADAM[®]



PERFECT BALANCE
Speed, Performance, Value

2010 USD Price Catalog



www.adamequipment.com

About Adam



Adam Equipment is a manufacturer of balances and scales serving laboratory, industrial, medical, retail, and education customers worldwide. Since the company was founded in the United Kingdom more than three decades ago, Adam has strategically established a carefully designed network of offices throughout the world to ensure that a high level of service is provided to its customers, wherever they are. With facilities in the United Kingdom, United States, South Africa, Australia and China, Adam maintains a strong global presence.

Adam is committed to manufacturing reliable products with proven technology and user-friendly features. Customer requirements are the ultimate driving force behind each new product development. In addition, every Adam facility provides a full range of services, offering Adam's worldwide customer base responsive support and assistance.

Adam's commitment to ongoing, customer-driven product development ensures that the company will continue to move forward, providing customers with the weighing solutions they need now and in the future.



Symbols key

- Animal / dynamic weighing**
- Backlit display**
- Battery powered**
- Built-in rechargeable battery**
- Check weighing**
- Date**
- Density measurement**
- EC type approved**
- Education**
- External calibration**

- GLP / ISO printouts**
- Industrial**
- Internal calibration**
- IP65**
- Jewellery**
- Laboratory**
- Medical**
- Multiple weighing units**
- Parts counting**
- Percentage weighing**

- Retail**
- RS-232 communications**
- Security bracket**
- Tare / gross**
- Time**
- Totalisation**
- USB**
- Weigh-below**



How to contact us:

Telephone: 203.790.4774
Fax: 203.792.3406
sales@adamequipment.com
www.adamequipment.com

Adam Equipment Inc
26 Commerce Drive
Danbury, CT 06810

Analytical Balances

PW Analytical Balances

Features

- 16+ Weighing units (including one custom unit)
- Selectable digital filtering for animal / dynamic weighing
- Adjustable filters
- Simple user-friendly operation
- Full range tare
- Zero Tracking
- Date and time
- Multilingual display
- Large backlit display with dual text prompts
- Capacity tracker
- Large stainless steel pan
- Force restoration mechanism
- Solid metal housing
- Non-slip adjustable leveling feet
- Lock down mounting slot for Kensington™ type lock and cable
- Dual tare keys
- Color coded, sealed keypad
- Splashproof to protect from accidental spills
- RS-232 bi-directional interface
- GLP print outs
- Internal calibration
- External calibration
- AC Adapter

Applications

- Weighing
- Net / Total
- Check weighing
- Percentage weighing
- Weight accumulation
- Parts counting
- Animal / dynamic weighing
- Density determination
- Below pan weighing



Model	Capacity	Readability	Pan size	List Price
PW 124	120g	0.0001g	3.5" Ø / 90mm Ø	\$1,595.00
PW 184	180g	0.0001g	3.5" Ø / 90mm Ø	\$1,795.00
PW 254	250g	0.0001g	3.5" Ø / 90mm Ø	\$1,995.00

Shipping weight: 37lb Dimensions: 30"x 20"x 28".

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.8036 Anti-Vibration Table	\$675.00
No.7452 Density Determination Kit	\$375.00
No.7995 Below Balance Hanger	\$25.00
No.8030 Security Lock and Cable	\$28.00
No.8003 Dust Cover	\$45.00
No.9028 RS-232 Cable	\$35.00
No.9061 AdamDU - Data Collection Program	\$75.00
No.9066 USB to RS-232 Interface Cable	\$50.00
No.8031 In-use Cover	\$25.00



Precision Balances

PGW Precision Balances



Features

- 18+ Weighing units (including one custom unit)
- Selectable digital filtering for animal / dynamic weighing
- Adjustable filters
- Simple user-friendly operation
- Full range tare
- Zero Tracking
- Date and time
- Multilingual display
- Large backlit display with dual text prompts
- Capacity tracker
- Large stainless steel pan
- Modern low profile design
- Force restoration mechanism
- Solid metal housing
- Non-slip adjustable leveling feet
- Lock down mounting slot for Kensington™ type lock
- Color coded, sealed keypad
- Dual tare keys
- Splashproof to protect from accidental spills
- Windshield supplied as standard with models with 0.001g readability
- RS-232 bi-directional interface
- GLP print outs
- External calibration
- Internal calibration optional
- AC Adapter



Applications

- Weighing
- Net / Total
- Check weighing
- Percentage weighing
- Weight accumulation
- Parts counting
- Animal / dynamic weighing
- Density determination
- Below pan weighing

Model	Capacity	Readability	Pan size	List Price
PGW 153e	150g	0.001g	5.5×5.5" / 140×140mm	\$875.00
PGW 253e	250g	0.001g	5.5×5.5" / 140×140mm	\$975.00
PGW 453e	450g	0.001g	5.5×5.5" / 140×140mm	\$1,075.00
PGW 753e	750g	0.001g	5.5×5.5" / 140×140mm	\$1,375.00
PGW 1502e	1500g	0.01g	7.6×7.6" / 192×192mm	\$875.00
PGW 2502e	2500g	0.01g	7.6×7.6" / 192×192mm	\$975.00
PGW 3502e	3500g	0.01g	7.6×7.6" / 192×192mm	\$1,075.00
PGW 4502e	4500g	0.01g	7.6×7.6" / 192×192mm	\$1,175.00
PGW 153i	150g	0.001g	5.5×5.5" / 140×140mm	\$1,075.00
PGW 253i	250g	0.001g	5.5×5.5" / 140×140mm	\$1,175.00
PGW 453i	450g	0.001g	5.5×5.5" / 140×140mm	\$1,275.00
PGW 753i	750g	0.001g	5.5×5.5" / 140×140mm	\$1,575.00
PGW 1502i	1500g	0.01g	7.6×7.6" / 192×192mm	\$1,075.00
PGW 2502i	2500g	0.01g	7.6×7.6" / 192×192mm	\$1,175.00
PGW 3502i	3500g	0.01g	7.6×7.6" / 192×192mm	\$1,275.00
PGW 4502i	4500g	0.01g	7.6×7.6" / 192×192mm	\$1,375.00

Shipping weight: 28lb Dimensions: 28"x 20"x 16".

Products ending with 'e' in their model number have external calibration, products ending with an 'i' have internal calibration.

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.7453 Density Kit (0.001g models only)	\$375.00
No.8036 Anti-Vibration Table	\$675.00
No.7995 Below Balance Hanger	\$25.00
No.8030 Security Lock and Cable	\$28.00
No.8002 Dust Cover	\$45.00
No.8031 In-use Cover	\$25.00
No.9028 RS-232 Cable	\$35.00
No.9061 AdamDU - Data Collection Program	\$75.00
No.9066 USB to RS-232 Interface Cable	\$50.00



Precision Balances

PGL Precision Balances



Features

- 9 weighing units
- Date and time
- Full range tare
- Zero Tracking
- Multilingual display
- Large backlit display with dual text prompts
- Capacity tracker
- Large stainless steel pan
- Solid metal housing
- Overload protection
- Lock down mounting slot for Kensington™ type lock and cable
- Non-slip adjustable leveling feet
- Color coded, sealed keypad
- Dual tare keys
- Windshield supplied as standard with models with 0.001g readability
- Modern low profile design
- RS-232 bi-directional interface
- GLP print outs
- External calibration
- Rechargeable battery
- AC Adapter
- Auto sleep / power down function to save battery life

Applications

- Weighing
- Parts counting
- Percentage weighing
- Check weighing
- Density determination
- Below pan weighing



Model	Capacity	Readability	Pan size	List Price
PGL 203	200g	0.001g	5.7×4.9" / 145×125mm	\$725.00
PGL 2002	2000g	0.01g	7.6×7.6" / 192×192mm	\$725.00
PGL 4001	4000g	0.1g	7.6×7.6" / 192×192mm	\$650.00
PGL 6001	6000g	0.1g	7.6×7.6" / 192×192mm	\$725.00
PGL 8001	8000g	0.1g	7.6×7.6" / 192×192mm	\$795.00
PGL 10001	10kg	0.1g	15.7×11.8" / 400×300mm	\$1,775.00
PGL 20001	20kg	0.1g	15.7×11.8" / 400×300mm	\$2,195.00

Shipping weight: PGL203-8001 12lb Dimensions: 24"x 12"x 7".

Shipping weight: PGL 10001-20001 20lb Dimensions: 20"x 18"x 6".

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.9061 AdamDU - Data Collection Program	\$75.00
No.9028 RS-232 Cable	\$35.00
No.8036 Anti-Vibration Table	\$675.00
No.7995 Below Balance Hanger	\$25.00
No.8031 In-use Cover	\$25.00
No.8002 Dust Cover	\$45.00
No.9066 USB to RS-232 Interface Cable	\$50.00
No.8030 Security Lock and Cable	\$28.00
No.7453 Density Kit (0.001g models only)	\$375.00



Moisture Analyzer

PMB Moisture Analyzer

Features

- Built-in memories for storing products and settings
- 3 settings for heating samples
- Automatic test start setting for when the lid is closed
- Date and time
- Full range tare
- Zero Tracking
- Quick and easy to configure through the keypad
- Multilingual display
- Large backlit display with dual text prompts
- Capacity tracker
- Non-slip adjustable leveling feet
- Color coded, sealed keypad
- Large stainless steel pan
- Lock down mounting slot for Kensington™ type lock and cable
- Overload protection
- Precision load cell technology
- Splashproof to protect from accidental spills
- Spirit Level
- Single Halogen Lamp 400W
- RS-232 and USB interface
- GLP print outs
- Calibration facilities for temperature and weight
- Power Cord
- Pan lifter to easily remove samples

Applications

- Moisture determination

3 Year Warranty



Model	Capacity	Readability	Pan size	List Price
PMB 53	50g	0.001g / 0.01%	3.5" Ø / 90mm Ø	\$2,195.00
PMB 202	200g	0.01g / 0.01%	3.5" Ø / 90mm Ø	\$1,795.00

Shipping weight: 18lb Dimensions: 19"x 15"x 12".

Accessories	List Price
No.8030 Security Lock and Cable	\$28.00
No.9028 RS-232 Cable	\$35.00
No.9304 USB Cable	\$35.00
No.8023 Adam Printer	\$395.00
No.9061 AdamDU - Data Collection Program	\$75.00
No.9066 USB to RS-232 Interface Cable	\$50.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.7996 Disposable Aluminium Sample Pans (Pack of 250)	\$175.00



Precision Balances

Highland™ Portable Precision Balances



Features

- 15 weighing units
- Zero Tracking
- Backlit LCD display
- Capacity tracker
- ShockProtect™ overload three-point protection
- Can be stacked for storage (120mm pan size only)
- Lock down mounting slot for Kensington™ type lock
- Removable anti-static draft shield (120mm pan size only)
- Stainless steel pan
- Non-slip adjustable leveling feet
- Below balance weighing with hanger
- Easy access to the rechargeable battery
- Color coded, sealed keypad
- Dual tare keys
- RS-232 and USB interface
- Handical™ manual internal calibration with built-in mass
- External calibration
- Auto power off
- Full range tare
- Low battery indication
- AC Adapter



Applications

- Weighing
- Percentage weighing
- Parts counting
- Below pan weighing
- Weight accumulation

Model	Capacity	Readability	Pan size	List Price
HCB 123	120g	0.001g	4.7" Ø / 120mm Ø	\$405.00
HCB 153	150g	0.005g	4.7" Ø / 120mm Ø	\$345.00
HCB 302	300g	0.01g	4.7" Ø / 120mm Ø	\$325.00
HCB 602H	600g	0.01g	4.7" Ø / 120mm Ø	\$425.00
HCB 602	600g	0.02g	4.7" Ø / 120mm Ø	\$345.00
HCB 1002	1000g	0.01g	4.7" Ø / 120mm Ø	\$495.00
HCB 1502	1500g	0.05g	4.7" Ø / 120mm Ø	\$345.00
HCB 3001	3000g	0.1g	4.7" Ø / 120mm Ø	\$325.00

Shipping weight: 11lb Dimensions: 18"x 14"x 15". Single
 Shipping weight: 23lb Dimensions: 23"x 15"x 18". Case of 6

Accessories	List Price
No.9305 In-use Cover	\$20.00
No.9307 Hard Carry Case with Lock	\$75.00
No.8030 Security Lock and Cable	\$28.00
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.9028 RS-232 Cable	\$35.00
No.9061 AdamDU - Data Collection Program	\$75.00
No.9304 USB Cable	\$35.00



Compact Balances

Core™ Compact Portable Balances



Features

- 9 weighing units
- Full range tare
- Zero Tracking
- Simple 4 button operation
- Backlit LCD display
- Stainless steel pan
- ShockProtect™ overload three-point protection
- Can be stacked for storage (120mm pan size only)
- Lock down mounting slot for Kensington™ type lock and cable
- Dual tare keys
- Lightweight and portable
- Color coded, sealed keypad
- Modern low profile design
- Low cost and simple to use
- External calibration
- Battery power (6 x AA Batteries)
- Auto sleep / power down function to save battery life
- Low battery indication
- AC Adapter



Applications

- Weighing
- Below pan weighing

Model	Capacity	Readability	Pan size	List Price
CQT 202	200g	0.01g	4.7" Ø / 120mm Ø	\$225.00
CQT 251	250g	0.1g	4.7" Ø / 120mm Ø	\$105.00
CQT 601	600g	0.1g	4.7" Ø / 120mm Ø	\$145.00
CQT 1501	1500g	0.1g	4.7" Ø / 120mm Ø	\$210.00
CQT 2601	2600g	0.1g	5.7" Ø / 145mm Ø	\$245.00
CQT 2000	2000g	1g	5.7" Ø / 145mm Ø	\$105.00
CQT 5000	5000g	1g	5.7" Ø / 145mm Ø	\$145.00

Shipping weight: 11lb Dimensions: 18"x 14"x 12". Single
 Shipping weight: 23lb Dimensions: 23"x 15"x 18". Case of 6

Accessories	List Price
No.9307 Hard Carry Case with Lock	\$75.00
No.8030 Security Lock and Cable	\$28.00
No.9306 In-use Cover	\$20.00



Compact Balances

Dune™ Compact Balances



Features

- 3 weighing units (g, lb, oz)
- Full range tare
- Zero Tracking
- Large easy to read LCD display
- Overload protection
- Color coded, sealed keypad
- Lightweight and portable
- Simple user-friendly operation
- Precision load cell technology
- Splashproof to protect from accidental spills
- External calibration
- Battery power (6 x AA Batteries)
- Low battery indication
- Auto sleep / power down function to save battery life
- AC Adapter

Applications

- Weighing

1 Year Warranty

Model	Capacity	Readability	Pan size	List Price
DCT 201	200g	0.1g	5.7×5.7" / 145×145mm	\$75.00
DCT 2000	2000g	1g	5.7×5.7" / 145×145mm	\$75.00
DCT 5000	5000g	2g	5.7×5.7" / 145×145mm	\$75.00 *


Shipping weight: 6lb Dimensions: 12"x 10"x 8". Single
 Shipping weight: 23lb Dimensions: 20"x 14"x 10". Case of 12



*US Postage chart available for DCT 5000 add an additional \$10.00 use model number DCT 5000P (List price \$85.00)

Mechanical Balances

TBB - Triple Beam Balances



Features

- Low cost and simple to use
- Magnetic damping for faster stability
- Rigid construction for durability
- Zero adjust facility to enable zero reading
- Notched and tiered graduated beams with center reading
- Stainless steel weighing pan
- Ruler for measuring cm and inches
- Weight holders for storing additional weights
- Tripod legs for density determination included on T2610S and T models
- Large stainless steel pan
- Lock down mounting slot for Kensington™ type lock and cable



Applications

- Weighing
- Below pan weighing
- Density of liquids or solids

Model	Capacity	Readability	Pan size	List Price
TBB 2610T	2610g	0.1g	6" Ø / 152mm Ø	\$132.00
TBB 2610S	2610g	0.1g	6" Ø / 152mm Ø	\$120.00
TBB 610S	610g	0.1g	6" Ø / 152mm Ø	\$85.00

Shipping weight: 9lb Dimensions: 21" x 7" x 9".

Shipping weight: 33lb Dimensions: 22" x 14" x 19" 4 pack

Models ending with a 'T' use a 225g additional Tare bar.

Accessories	List Price
No.8030 Security Lock and Cable	\$28.00
No.9024 Hard Carry Case with Lock	\$65.00



Wash Down Scales

WBW Wash Down Scales



Features

- 5 weighing units (kg, g, lb, oz, lbs:oz)
- IP65 rated for wash down
- Full range tare
- Zero Tracking
- Check-weighing with low and high limits
- Check weighing LED bar graph
- Large backlit LCD display
- Capacity tracker
- Large stainless steel pan
- Non-slip adjustable leveling feet
- Color coded, sealed keypad
- Splashproof to protect from accidental spills
- Simple user-friendly operation
- Precision load cell technology
- Lightweight and portable
- External calibration
- Rechargeable battery
- Auto sleep / power down function to save battery life
- Low battery indication
- AC Adapter



Applications

- Weighing
- Check weighing

Model	Capacity	Readability	Pan	List Price
WBW 5a	5lb/2000g	0.0005lb/0.2g	8.3×6.8" / 210×173mm	\$270.00
WBW 9a	9lb/4000g	0.001lb/0.5g	8.3×6.8" / 210×173mm	\$270.00
WBW 18a	18lb/8000g	0.002lb/1g	8.3×6.8" / 210×173mm	\$270.00
WBW 35a	35lb/16kg	0.005lb/2g	8.3×6.8" / 210×173mm	\$270.00

Shipping weight: 10lb Dimensions: 18"x 14"x 12".

Accessories	List Price
No.9586 In-use Cover	\$20.00
No.9587 In-use Cover pack of 10	\$160.00
No.9588 In-use Cover pack of 20	\$280.00



Bench and Floor Scales

LBK Weighing Scales



Features

- 5 weighing units (kg, g, lb, oz, lbs:oz)
- Full range tare
- Zero Tracking
- Simple user-friendly operation
- Large backlit LCD display
- Non-slip adjustable leveling feet
- Overload protection
- Color coded, sealed keypad
- Large stainless steel pan
- Modern low profile design
- Precision load cell technology
- Splashproof to protect from accidental spills
- External calibration
- Rechargeable battery up to 150 hours operation
- Auto sleep / power down function to save battery life
- Low battery indication
- AC Adapter

1 Year Warranty

Applications

- Weighing
- Parts counting
- Percentage weighing

Model	Capacity	Readability	Pan size	List Price
LBK 6a	6lb/3000g	0.001lb/0.5g	9.8x7.1" / 250x180mm	\$145.00
LBK 12a	12lb/6000g	0.002lb/1g	9.8x7.1" / 250x180mm	\$145.00
LBK 25a	25lb/12kg	0.005lb/2g	9.8x7.1" / 250x180mm	\$145.00
LBK 65a	65lb/30kg	0.01lb/5g	9.8x7.1" / 250x180mm	\$145.00

Shipping weight: 11lb Dimensions: 14"x 12"x 7".

Accessories	List Price
No.9664 In-use Cover	\$20.00



Bench and Floor Scales

CBK Bench Scales



Features

- 5 weighing units (kg, g, lb, oz, lbs:oz)
- Adjustable filters
- Memory accumulation
- Date and time
- Full range tare
- Pre-set weighing with alarm
- Check-weighing with low and high limits
- Check weighing LED bar graph
- Large backlit LCD display
- Capacity tracker
- Non-slip adjustable leveling feet
- Overload protection
- Large stainless steel pan
- Color coded, sealed keypad
- Full color coded keypad with numeric entry
- Simple user-friendly operation
- Splashproof to protect from accidental spills
- Precision load cell technology
- Internal counting resolution 1:400,000
- Easy access to the rechargeable battery
- RS-232 bi-directional interface
- External calibration
- Rechargeable battery up to 90 hours operation
- Auto sleep / power down function to save battery life
- Low battery indication
- AC Adapter

Applications

- Weighing
- Check weighing
- Percentage weighing
- Weight accumulation
- Parts counting



Model	Capacity	Readability	Pan size	List Price
CBK 8a	8lb/4000g	0.0002lb/0.1g	8.9×10.8" / 225×275mm	\$395.00
CBK 16aH	16lb/8000g	0.0002lb/0.1g	8.9×10.8" / 225×275mm	\$495.00
CBK 16a	16lb/8000g	0.0005lb/0.2g	8.9×10.8" / 225×275mm	\$395.00
CBK 35a	35lb/16kg	0.001lb/0.5g	8.9×10.8" / 225×275mm	\$395.00
CBK 70a	70lb/32kg	0.002lb/1g	8.9×10.8" / 225×275mm	\$395.00
CBK 100a	100lb/48kg	0.005lb/2g	8.9×10.8" / 225×275mm	\$395.00

Shipping Weight: 11lbs Dimensions: 16" x 14" x 7".

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.5006 In-use Cover	\$20.00
No.5006-10 In-Use Cover pack of 10	\$160.00
No.6081 Weigh Below Hanger (factory fitted)	\$125.00
No.9025 Hard Carry Case with Lock	\$85.00
No.9028 RS-232 Cable	\$35.00
No.9066 USB to RS-232 Interface Cable	\$50.00
No.9061 AdamDU - Data Collection Program	\$75.00



Counting Scales

CBCa Bench Counting Scales

Features

- Internal counting resolution 1:400,000
- Preset tare function
- Full range tare
- Zero Tracking
- Memory accumulation
- Adjustable filters
- Pre-set counting with alarm
- Date and time
- Large backlit LCD display
- Simple user-friendly operation
- Precision load cell technology
- Splashproof to protect from accidental spills
- Full color coded keypad with numeric entry
- Large stainless steel pan
- Non-slip adjustable feet
- Overload protection
- Easy access to the rechargeable battery
- RS-232 bi-directional interface
- External calibration
- Rechargeable battery up to 90 hours operation
- Auto sleep / power down function to save battery life
- Low battery indication
- AC Adapter

Applications

- Weighing
- Weight accumulation
- Parts counting
- Check counting
- Count accumulation



Model	Capacity	Readability	Pan size	List Price
CBC 8a	8lb/4000g	0.0002lb/0.1g	8.9×10.8" / 225×275mm	\$395.00
CBC 16a	16lb/8000g	0.0005lb/0.2g	8.9×10.8" / 225×275mm	\$395.00
CBC 35a	35lb/16kg	0.001lb/0.5g	8.9×10.8" / 225×275mm	\$395.00
CBC 70a	70lb/32kg	0.002lb/1g	8.9×10.8" / 225×275mm	\$395.00
CBC 100a	100lb/48kg	0.005lb/2g	8.9×10.8" / 225×275mm	\$395.00

Shipping weight: 11lb Dimensions: 16"x 14"x 7".

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.5006 In-use Cover	\$20.00
No.5006-10 In-Use Cover pack of 10	\$160.00
No.9025 Hard Carry Case with Lock	\$85.00
No.9028 RS-232 Cable	\$35.00
No.9066 USB to RS-232 Interface Cable	\$50.00
No.9061 AdamDU - Data Collection Program	\$75.00



Counting Scales

CBDa Bench Counting Scales



Features

- Up to 100 PLUs with description, unit and tare weight can be stored in memory
- Internal counting resolution 1:400,000
- Preset tare function
- Full range tare
- Zero Tracking
- Memory accumulation of count
- Pre-set counting with alarm
- Programmable for counting to a pre-set number of parts
- Large backlit LCD display
- Supports remote scale with up to 4 load-cells for heavy weighing / counting
- Non-slip adjustable leveling feet
- Full color coded keypad with numeric entry
- Easy access to the rechargeable battery
- Stainless steel pan
- Overload protection
- Precision load cell technology
- Splashproof to protect from accidental spills
- Simple user-friendly operation
- RS-232 bi-directional interface
- External calibration
- Rechargeable battery up to 70 hours operation
- Auto sleep / power down function to save battery life
- Low battery indication
- AC Adapter



Applications

- Weighing
- Dual Counting facility
- Weight accumulation
- Parts counting
- Check counting
- Count accumulation

Model	Capacity	Readability	Pan size	List Price
CBD 6a	6lb/3000g	0.0002lb/0.1g	8.9×10.8" / 225×275mm	\$745.00
CBD 12a	12lb/6000g	0.0005lb/0.2g	8.9×10.8" / 225×275mm	\$745.00
CBD 35a	35lb/15kg	0.001lb/0.5g	8.9×10.8" / 225×275mm	\$745.00
CBD 65a	65lb/30kg	0.002lb/1g	8.9×10.8" / 225×275mm	\$745.00
CBD 100a	100lb/45kg	0.005lb/2g	8.9×10.8" / 225×275mm	\$745.00

Shipping weight: 11lb Dimensions: 16"x 14"x 7".

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.5006 In-use Cover	\$20.00
No.5006-10 In-Use Cover pack of 10	\$160.00
No.9025 Hard Carry Case with Lock	\$85.00
Range of Platforms for Remote Scale	Contact us
No.9028 RS-232 Cable	\$35.00
No.9066 USB to RS-232 Interface Cable	\$50.00
No.9061 AdamDU - Data Collection Program	\$75.00



Bench and Floor Scales

GFK Weighing Scales



Features

- 5 weighing units (kg, g, lb, oz, lbs:oz)
- Automatic memory accumulation
- Pre-set counting with alarm
- Date and time
- Adjustable filters
- Full range tare
- Internal counting resolution 1:400,000
- Check-weighing with low and high limits
- Check weighing LED bar graph
- Capacity tracker
- Large backlit LCD display
- Overload protection
- Non-slip adjustable leveling feet
- Large stainless steel platform
- Pillar mounted
- Full color coded keypad with numeric entry
- Precision load cell technology
- Simple user-friendly operation
- Splashproof to protect from accidental spills
- Easy access to the rechargeable battery
- RS-232 bi-directional interface
- External calibration
- Rechargeable battery up to 90 hours operation
- Auto sleep / power down function to save battery life
- Low battery indication
- AC Adapter

2 Year Warranty

Applications

- Weighing
- Parts counting
- Percentage weighing
- Animal / dynamic weighing
- Check weighing
- Check counting

Model	Capacity	Readability	Pan size	List Price
GFK 165aH	165lb/75kg	0.002lb/1g	15.7×19.7" / 400×500mm	\$795.00
GFK 165a	165lb/75kg	0.01lb/5g	15.7×19.7" / 400×500mm	\$595.00
GFK 330aH	330lb/150kg	0.005lb/2g	15.7×19.7" / 400×500mm	\$795.00
GFK 330a	330lb/150kg	0.02lb/10g	15.7×19.7" / 400×500mm	\$595.00
GFK 660a	660lb/300kg	0.05lb/20g	15.7×19.7" / 400×500mm	\$695.00
GFK 1320a	1230lb/600kg	0.1lb/50g	23.6×31.5" / 600×800mm	\$895.00

Shipping weight 32lb Dim 35.5" x 18" x 19"

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.9665 In-use Cover	\$20.00



Counting Scales

CFC Floor Counting Scales



Features

- Full color coded keypad with numeric entry
- Automatic memory accumulation
- Pre-set counting with alarm
- Internal counting resolution 1:400,000
- Full range tare
- Simple user-friendly operation
- Zero Tracking
- Preset tare function
- Large backlit LCD displays
- Overload protection
- Large stainless steel platform
- Non-slip adjustable leveling feet
- Low cost and simple to use
- Precision load cell technology
- Splashproof to protect from accidental spills
- RS-232 bi-directional interface
- External calibration
- Rechargeable battery up to 70 hours operation
- Auto sleep / power down function to save battery life
- AC Adapter

Applications

- Weighing
- Weight accumulation
- Parts counting
- Check counting
- Count accumulation



Model	Capacity	Readability	Platform size	List Price
CFC 130a	130lb/60kg	0.01lb/5g	16.7×20.7" / 425×525mm	\$785.00
CFC 330a	330lb/150kg	0.02lb/10g	16.7×20.7" / 425×525mm	\$785.00
CFC 660a	660lb/300kg	0.05lb/20g	16.7×20.7" / 425×525mm	\$885.00


Shipping weight: 38lb Dimensions: 33"x 23"x 8".

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00



Bench and Floor Scales

CPWplus Bench Scales



Features

- 4 Weighing units (kg, g, lb, oz)
- Simple 4 button operation
- Hold function
- Full range tare
- Zero Tracking
- Large backlit LCD display
- Wall mount bracket
- Large stainless steel pan
- Modern low profile design
- Splashproof to protect from accidental spills
- Precision load cell technology
- Color coded, sealed keypad
- RS-232 bi-directional interface
- Low battery indication
- Auto sleep / power down function to save battery life
- Battery power (6 x AA Batteries)
- AC Adapter

1 Year Warranty

Applications

- Weighing
- Animal / dynamic weighing

Model	Capacity	Readability	Platform size	List Price
CPWplus 6	13lb/6000g	0.005lb/2g	11.8×11.8" / 300×300mm	\$195.00
CPWplus 15	33lb/15kg	0.01lb/5g	11.8×11.8" / 300×300mm	\$195.00
CPWplus 35	75lb/35kg	0.02lb/10g	11.8×11.8" / 300×300mm	\$195.00
CPWplus 75	165lb/75kg	0.05lb/20g	11.8×11.8" / 300×300mm	\$195.00
CPWplus 150	330lb/150kg	0.1lb/50g	11.8×11.8" / 300×300mm	\$205.00
CPWplus 200	440lb/200kg	0.1lb/50g	11.8×11.8" / 300×300mm	\$215.00

Shipping weight: 12lb Dimensions: 19"x 15"x 4".

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.7954 Hard Carry Case with Lock	\$85.00
No.9028 RS-232 Cable	\$35.00
No.9066 USB to RS-232 Interface Cable	\$50.00
No.9061 AdamDU - Data Collection Program	\$75.00



Bench and Floor Scales

CPWplus P Bench Scales



Features

- 4 Weighing units (kg, g, lb, oz)
- Large backlit LCD display
- Simple 4 button operation
- Hold function
- Full range tare
- Zero Tracking
- Wall mount bracket
- Large stainless steel platform
- Modern low profile design
- Splashproof to protect from accidental spills
- Precision load cell technology
- Color coded, sealed keypad
- Pillar display standard on P versions
- RS-232 bi-directional interface
- External calibration
- Low battery indication
- Battery power (6 x AA Batteries)
- Auto sleep / power down function to save battery life
- AC Adapter

1 Year Warranty

Applications

- Weighing
- Animal / dynamic weighing

Model	Capacity	Readability	Platform size	List Price
CPWplus 6P	13lb/6000g	0.005lb/2g	11.8×11.8" / 300×300mm	\$280.00
CPWplus 15P	33lb/15kg	0.01lb/5g	11.8×11.8" / 300×300mm	\$280.00
CPWplus 35P	75lb/35kg	0.02lb/10g	11.8×11.8" / 300×300mm	\$280.00
CPWplus 75P	165lb/75kg	0.05lb/20g	11.8×11.8" / 300×300mm	\$280.00
CPWplus 150P	330lb/150kg	0.1lb/50g	11.8×11.8" / 300×300mm	\$290.00
CPWplus 200P	440lb/200kg	0.1lb/50g	11.8×11.8" / 300×300mm	\$300.00

Shipping weight: 15lb Dimensions: 21"x 18"x 9".
Shipping weight: 9lb Dimensions: 8"x 6"x 4". Pillar.

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.9028 RS-232 Cable	\$35.00
No.9066 USB to RS-232 Interface Cable	\$50.00
No.9061 AdamDU - Data Collection Program	\$75.00



Bench and Floor Scales

CPWplus W Weighing Scales



Features

- 4 Weighing units (kg, g, lb, oz)
- Hold function
- Full range tare
- Zero Tracking
- Simple 4 button operation
- External calibration
- Large backlit LCD display
- Large stainless steel platform
- Handlebar frame and wheeled base for mobility
- Splashproof to protect from accidental spills
- Non-slip adjustable leveling feet
- Four load cell construction
- Color coded keys
- Modern low profile design
- RS-232 bi-directional interface
- Rechargeable battery
- Auto sleep / power down function to save battery life
- Low battery indication
- AC Adapter



Applications

- Weighing
- Animal / dynamic weighing

Model	Capacity	Readability	Pan size	List Price
CPWplus 35W	75lb/35kg	0.02lb/10g	19.7×19.7" / 500×500mm	\$425.00
CPWplus 75W	165lb/75kg	0.05lb/20g	19.7×19.7" / 500×500mm	\$435.00
CPWplus 150W	330lb/150kg	0.1lb/50g	19.7×19.7" / 500×500mm	\$445.00
CPWplus 200W	440lb/200kg	0.1lb/50g	19.7×19.7" / 500×500mm	\$455.00

Shipping weight: 32lb Dimensions: 41"x 22"x 6".

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.9061 AdamDU - Data Collection Program	\$75.00
No.9028 RS-232 Cable	\$35.00
No.9066 USB to RS-232 Interface Cable	\$50.00



Bench and Floor Scales

CPWplus M Weighing Scales



Features

- 4 Weighing units (kg, g, lb, oz)
- Hold function
- Full range tare
- Zero Tracking
- Large backlit LCD display
- Color coded, sealed keypad
- Four load cell construction
- Wall mount bracket
- Large stainless steel platform
- Modern low profile design
- Splashproof to protect from accidental spills
- Simple 4 button operation
- Non-slip adjustable leveling feet
- RS-232 bi-directional interface
- External calibration
- Rechargeable battery
- Auto sleep / power down function to save battery life
- Low battery indication
- AC Adapter

Applications

- Animal / dynamic weighing
- Weighing



Model	Capacity	Readability	Platform size	List Price
CPWplus 35M	75lb/35kg	0.02lb/10g	19.7×19.7" / 500×500mm	\$350.00
CPWplus 75M	165lb/75kg	0.05lb/20g	19.7×19.7" / 500×500mm	\$360.00
CPWplus 150M	330lb/150kg	0.1lb/50g	19.7×19.7" / 500×500mm	\$370.00
CPWplus 200M	440lb/200kg	0.1lb/50g	19.7×19.7" / 500×500mm	\$380.00

Shipping weight: 26lb Dimensions: 22" x 22" x 4".

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.9028 RS-232 Cable	\$35.00
No.9066 USB to RS-232 Interface Cable	\$50.00
No.9061 AdamDU - Data Collection Program	\$75.00



Bench and Floor Scales

CPWplus L Floor Scales

Features

- 4 Weighing units (kg, g, lb, oz)
- Hold function
- Full range tare
- Zero Tracking
- Large backlit LCD display
- Color coded, sealed keypad
- Four load cell construction
- Wall mount bracket
- Large stainless steel platform
- Modern low profile design
- Splashproof to protect from accidental spills
- Simple 4 button operation
- Non-slip adjustable leveling feet
- Wheels to allow easy movement
- RS-232 bi-directional interface
- External calibration
- Rechargeable battery
- Auto sleep / power down function to save battery life
- Low battery indication
- AC Adapter

Applications

- Animal / dynamic weighing
- Weighing

1 Year Warranty



Model	Capacity	Readability	Pan size	List Price
CPWplus 35L	75lb/35kg	0.02lb/10g	35.4×23.6" / 900×600mm	\$525.00
CPWplus 75L	165lb/75kg	0.05lb/20g	35.4×23.6" / 900×600mm	\$535.00
CPWplus 150L	330lb/150kg	0.1lb/50g	35.4×23.6" / 900×600mm	\$545.00
CPWplus 200L	440lb/200kg	0.1lb/50g	35.4×23.6" / 900×600mm	\$555.00
CPWplus 300L	660lb/300kg	0.2lb/100g	35.4×23.6" / 900×600mm	\$575.00

Shipping weight: 44lb Dimensions: 42" x 28" x 5".

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00
No.9066 USB to RS-232 Interface Cable	\$50.00
No.9028 RS-232 Cable	\$35.00
No.9061 AdamDU - Data Collection Program	\$75.00
No.9013 Rubber non-slip mat for CPWplus L	\$35.00



Indicators

GK Indicator



Features

- 5 weighing units (kg, g, lb, oz, lbs:oz)
- Automatic memory accumulation
- Rechargeable battery
- Pre-set counting with alarm
- Date and time
- Adjustable filters
- Full range tare
- Wall mount bracket
- Accumulation of Weight
- Check-weighing with low and high limits
- Check weighing LED bar graph
- Capacity tracker
- Large backlit LCD display
- Full color coded keypad with numeric entry
- Simple user-friendly operation
- Splashproof to protect from accidental spills
- Easy access to the rechargeable battery
- RS-232 bi-directional interface
- External calibration
- Rechargeable battery up to 90 hours operation
- Auto sleep / power down function to save battery life
- AC Adapter

Applications

- Animal / dynamic weighing
- Check weighing
- Parts counting
- Weighing



Model	List Price
GK	\$225.00

Shipping weight: 5lb Dimensions: 12"x 9"x 8.5".

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9665 In-use Cover	\$20.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00



Indicators

AE401 Indicator



Features

- Hold function
- Quick and easy to configure through the keypad
- Full range tare
- Backlit LCD display
- Color coded, sealed keypad
- Wall mount bracket
- Supports up to four 350 ohm load cells
- RS-232 uni-directional interface
- External calibration
- Auto power off
- Auto sleep / power down function to save battery life
- Rechargeable battery
- AC Adapter



Applications

- Weighing

Model	List Price
AE401	\$260.00


Shipping weight: 9lb Dimensions: 18"x 14"x 12".

Accessories	List Price
No.8023 Adam Printer	\$395.00
No.9192 Thermal Paper for Adam Printer (5 Pack)	\$65.00



Platform Scales

PTM Drum / Wheelchair Platforms



Features

- Non-slip adjustable leveling feet
- Approximately 10 feet long shielded cable
- Checked plate for grip
- Built in ramps on each side for easy access
- Wheels and handle for easy moving
- Available with AE 401 indicator or GK indicator

Applications


- Weighing
- Weighing drums
- Wheel chair weighing



Model	Capacity	Readability	Platform size	List Price
PTM 500	1100lb / 500kg	0.2lb / 0.1kg	33"x31" / 820x780mm	\$900.00
PTM 500+GK	1100lb / 500kg	0.2lb / 0.1kg	33"x31" / 820x780mm	\$1,095.00
PTM 500+AE401	1100lb / 500kg	0.2lb / 0.1kg	33"x31" / 820x780mm	\$1,125.00

Platform Scales

PT Platforms



Features

- Non-slip adjustable leveling feet
- Approximately 10 feet long shielded cable
- Available in a range of capacities and platform sizes
- Overload protection
- Four load cell construction
- Precision load cell technology
- Can be supplied complete with indicator



Applications

- Weighing
- Parts counting
- Percentage weighing
- Comparative Weighing
- Shipping and Receiving
- Batching Items for Processing
- Stock and Warehouse Auditing

Model	Capacity	Readability	Platform size	List Price
PT 112	2500lb/1000kg	0.5lb/200g	47.2×47.2" / 1200×1200mm	\$900.00
PT312-5	5000lb/3000kg	1lb/500g	47.2×47.2" / 1200×1200mm	\$900.00
PT312-10	10000lb/4500kg	2lb/1kg	47.2×47.2" / 1200×1200mm	\$900.00
PT112+GK	2500lb/1000kg	0.5lb/200g	47.2×47.2" / 1200×1200mm	\$1,095.00
PT312-5GK	5000lb/3000kg	1lb/500g	47.2×47.2" / 1200×1200mm	\$1,095.00
PT312-10GK	1000lb/4500kg	2lb/1kg	47.2×47.2" / 1200×1200mm	\$1,095.00
PT112+AE401	2500lb/1000kg	0.5lb/200g	47.2×47.2" / 1200×1200mm	\$1,125.00
PT312-5AE401	5000lb/3000kg	1lb/500g	47.2×47.2" / 1200×1200mm	\$1,125.00
PT312-10AE401	10000lb/4500kg	2lb/1kg	47.2×47.2" / 1200×1200mm	\$1,125.00

Freight - 235lb Dimensions: 48" x 48" x 18" on pallet - Class 70

Accessories	List Price
No.9072 Mild Steel Ramp - PT 12R 1200mm wide	\$275.00



GF Platforms



Features

- Non-slip adjustable leveling feet
- Approximately 10 feet long shielded cable
- Available in a range of capacities and platform sizes
- Can be supplied complete with indicator
- Overload protection
- Precision load cell technology
- Rugged mild steel construction
- Stainless steel weighing pan



Applications

- Weighing
- Parts counting
- Percentage weighing
- Comparative Weighing
- Shipping and Receiving
- Batching Items for Processing
- Stock and Warehouse Auditing

Model	Capacity	Readability	Platform size	List Price
GF 165a	165lb/75kg	0.01lb/5g	15.7×19.7" / 400×500mm	\$395.00
GF 330a	330lb/150kg	0.02lb/10g	15.7×19.7" / 400×500mm	\$395.00
GF 660a	660lb/300kg	0.05lb/20g	31.5×23.6" / 800×600mm	\$495.00
GF 1320a	1320lb/600kg	0.1lb/50g	31.5×23.6" / 800×600mm	\$695.00

Shipping weight 32lb Dim 35.5" x 18" x 19"



Health and Medical Scales

MXB Baby Scale



Features

- 3 weighing units (g, lb, oz)
- Hold function
- Full range tare
- Simple user-friendly operation
- Large easy to read LCD display
- Simple 2 button operation
- Solid 1 piece construction is lightweight and easy to clean
- Easy grip carrying handles
- Splashproof to protect from accidental spills
- Lightweight and portable
- Low cost and simple to use
- External calibration
- Battery power (2x AA Batteries)
- Auto sleep / power down function to save battery life
- AC Adapter

1 Year Warranty

Applications

- Weighing
- Animal / dynamic weighing

Model	Capacity	Readability	Pan size	List Price
MXB Baby	44lb/20kg	0.01lb/10g	-	\$90.00

Shipping weight: 8lb Dimensions: 21"x 18"x 9".



Health and Medical Scales

MDW-160M Mechanical Person Scale



Features

- Height rod as standard (measures up to 7' / 200cm)
- Robust metal housing
- Anti-slip platform
- Adjustable zero point
- Wheels to allow easy movement
- 2 weighing units (kg, lb)

2 Year Warranty

Applications

- Weighing
- Measuring height

Model	Capacity	Readability	Platform size	List Price
MDW-160M	350lb/160kg	4oz/100g	14.8x10.8" / 375x275mm	\$280.00

Shipping weight: 42lb Dimensions: 58"x 13"x 10".

Health and Medical Scales

MDW-250L Person Scale



Features

- Height rod as standard (measures up to 7' / 190 cm)
- Robust metal housing
- Anti-slip platform
- Large, clear backlit LCD display
- Color coded, sealed keypad
- Hold function
- External calibration
- Automatic backlight
- Full range tare
- Overload protection
- AC Adapter
- Rechargeable battery / power supply adapter both standard
- 2 weighing units (kg, lb)
- Precision load cell technology
- Simple user-friendly operation

Applications

- Weighing
- Measuring height



Model	Capacity	Readability	Platform size	List Price
MDW-250L	550lb/250kg	0.2lb/100g	14.6×10.8" / 372×275mm	\$380.00

Shipping weight: 33lb Dimensions: 39"x 27"x 10".



Key Accessories



Features

- Scratch resistant marble slab
- Two table construction keeps the marble block in the middle and reduces interference
- Large working surface of 15.7" x 17.7" / 400 x 450mm
- Room around the vibration slab for resting samples
- Easy set up light weight mild steel tubular frame
- Adjustable leveling feet for uneven surfaces
- Polished finish

Model	List Price
Anti-vibration table	\$675.00



Features

- Monitor and collect data readings for up to 8 balances or scales simultaneously.
- Record custom data or notations along with readings using up to 6 user-defined fields.
- Collect date and time with readings.
- View statistics including Min, Max, Median, Mean, Variance, and Standard Deviation.
- Graph readings in real time. Print results and graphs from within the AdamDU application.
- Export readings in several file formats (text, CSV, HTML, XML)
- Direct export to Microsoft® Excel or Microsoft® Word

Model	List Price
Adam DU	\$75.00

Adam Equipment follows a policy of continuous improvement and reserves the right to change specifications and pricing without notice.

Adam Equipment Standard terms and condition of sales apply. Information is correct until time of printing.

Highland, Core Balance, ShockProtect, HandiCal, and Adam Equipment are all registered trademarks of Adam Equipment Inc. and can only be used with the expressed permission of Adam Equipment. Microsoft Word, Microsoft Excell, and Microsoft are registered trademark of Microsoft Corporation in the United States and other countries.

Selection Guide - Laboratory Digital Balances

Capacity	Readability												
	0.0001g	0.001g	0.005g	0.01g	0.02g	0.05g	0.1g	1g	1g	2g			
50g		PMB 53 (0.01%)											
120g	PW 124	HCB 123											
150g		PGW 153e PGW 153i	HCB 153										
180g	PW 184												
200g		PGL 203		CQT 202 PMB 202 (0.05%)			DCT 201						
250g	PW 254	PGW 253e PGW 253i					CQT 251						
300g				HCB 302									
450g		PGW 453e PGW 453i											
600g				HCB 602h	HCB 602		CQT 601						
750g		PGW 753e PGW 753i											
1000g				HCB 1002									
1500g				PGW 1502e PGW 1502i		HCB 1502	CQT 1501						
2000g				PGL 2002				DCT 2000 CQT 2000					
2500g				PGW 2502e PGW 2502i									
2600g							CQT 2601						
3000g							HCB 3001						
3500g				PGW 3502e PGW 3502i									
4000g							PGL 4001						
4500g				PGW 4502e PGW 4502i									
5000g								CQT 5000	DCT 5000				
6000g							PGL 6001						
8000g							PGL 8001						
10000g / 10kg							PGL 10001						
20000g / 20kg							PGL 20001						



PW Analytical Balances



PGW Precision Balances



PGL Precision Portable Balances



PMB Moisture Analyzers



HCB - Highland Portable Balances



CQT -Core Portable Balances



DCT - Dune Compact Balances



On the PGW's there is an option for internal or external calibration:
 e = external calibration
 i = internal calibration

www.adamequipment.com

Features Guide - Laboratory Digital Balances

		Model						
		PW	PGW	PGL	PMB	Highland	Core	Dune
Physical Features	Stainless Steel Removable Pan	x	x	x	x	x	x	
	Plastic Removable Pan							x
	Metal Housing	x	x	x	x			
	Plastic Housing					x	x	x
	Draft Shield	x	x ¹	x ¹	x	x	x ²	
	Backlit Display	x	x	x	x	x	x	
	Security Slot	x	x	x ³	x	x	x	
	Below Balance Hanger	x	x	x		x	x	
	ShockProtect Overload					x	x	
	Overload Protection			x	x			x
	Stackable					x	x ⁴	
	Adjustable Leveling Feet With Bubble	x	x	x	x	x		
Pan Lifter				x				
Software Features	Number of Weighing Units	16	18	9	2	15	9	3
	Number of Weighing Modes	9	9	5	5	4	1	1
	Date and Time	x	x	x	x			
	Capacity Tracker	x	x	x	x	x		
	Multilingual Display	x	x	x	x			
	Density Calculations	x	x					
	Overload Indicator	x	x	x	x	x	x	x
	Overload Alarm	x	x	x	x	x	x	
Internal Memories				x ⁶				
Communication	RS-232	x	x	x	x	x		
	USB				x	x		
	USB Memory Stick				x			
	GLP Print Outs	x	x	x	x			
	Custom Print Reports	x	x		x			
Calibration	Motorized Internal	x	x ⁵					
	Manual Internal					x		
	Manual External	x	x	x	x	x	x	x
	User Temp Calibration				x			
Power	Rechargeable Battery			x		x		
	External Batteries						x	x
	AC Adapter	x	x	x		x	x	x
	Plug in Power				x			



PW Analytical Balances



PGW Precision Balances



PGL Precision Portable Balances



PMB Moisture Analyzers



HCB - Highland Portable Balances



CQT - Core Portable Balances



DCT - Dune Compact Balances

¹ Draft shield only available on 1mg/0.001g readability models

² Draft shield not available on 5.7" / 145mm ø pan sizes

³ Security lock is not available on PGL 10001 and PGL 20001 models

⁴ You can not stack models with a pan size of 5.7" / 145mm ø

⁵ Internal calibration is only available with the models ending in "1"

⁶ Internal memories for PMB can store 99 test results and 49 configurations

Selection Guide -Industrial Bench and Floor Scales

Capacity	Readability											
	0.1g / 0.0002lb	0.2g / 0.0005lb	0.5g / 0.001lb	1g / 0.002lb	2g / 0.005lb	5g / 0.01lb	10g / 0.02lb	20g / 0.05lb	50g / 0.1lb	100g / 0.2lb		
2kg / 5lb		WBW 5a										
3kg / 6lb	CBD 6a		LBK 6a									
4kg / 8lb	CBK 8a CBC 8a											
4kg / 9lb			WBW 9a									
6kg / 12lb		CBD 12a		LBK 12a								
6kg / 13lb					CPWplus 6 CPWplus 6P							
8kg / 16lb	CBK 16aH	CBK 16a CBC 16a										
8kg / 18lb				WBW 18a								
10kg /												
12kg / 25lb					LBK 25a							
15kg / 33lb						CPWplus 15 CPWplus 15P						
15kg / 35lb			CBD 35a									
16kg / 35lb			CBK 35a CBC 35a		WBW 35a							
30kg / 65lb				CBD 65a		LBK 65a						
32kg / 70lb				CBK 70a CBC 70a								
35kg / 75lb							CPWplus 35, 35P, 35M, 35W, 35L					
45kg / 100lb					CBD 100a							
48kg / 100lb					CBK 100a CBC 100a							
60kg / 130lb						CFC 130a						
75kg / 165lb				GFK 165aH		GFK 165a		CPWplus 75, 75P, 75M, 75W, 75L				
150kg / 330lb					GFK 330aH		GFK 330a CFC 330a		CPWplus 150, 150P, 150M, 150W, 150L			
200kg / 440lb									CPWplus 200, 200P, 200M, 200W, 200L			
300kg / 660lb								GFK 660a CFC 660a		CPWplus 300L		
600kg / 1320lb									GFK 1320a			



WBW Wash down scales



LBK Bench Scales



CBK Bench Scales



CBC Counting Scales




CBD Dual Counting Scales




CPWplus Weighing scales



CPWplus - P Weighing scales




CPWplus - M Weighing scales



CPWplus - W Weighing scales



CPWplus - L Weighing scales



GFK Floor scales




CFC Floor scales



www.adamequipment.com

Features Guide - Industrial Bench and Floor Scales



	Model												
	WBW	LBK	CBK	CBC	CBD	CPWplus	CPWplus-P	CPWplus-M	CPWplus-W	CPWplus-L	GFK	CFC	
Physical Features	Stainless Steel Removable Pan	x	x	x	x	x	x	x	x	x	x	x	
	Wash-down IP 65 rated	x											
	Color coded Check Weighing Lights	x		x							x		
	Backlit Display	x	x	x	x	x	x	x	x	x	x	x	
	Below Balance Hanger			x ¹	x ¹	x ¹							
	Wheels For Easy Movement								x	x			
	Front Mounted Display	x	x	x	x	x							
	Pillar Mounted Indicator							x				x	x
	Remote Indicator						x	x	x	x	x	x	x
	Adjustable Leveling Feet	x	x	x	x	x						x	
	RS-232 Interface			x	x	x	x	x	x	x	x	x	x
	Input for Remote Base					x							
Software Features	Number of Weighing Units	5	5	5	2	2	4	4	4	4	4	5	2
	Weighing	x	x	x	x	x	x	x	x	x	x	x	x
	Check Weighing	x		x								x	
	Parts Counting		x	x	x	x						x	x
	Percentage weighing		x	x								x	
	Accumulation			x	x	x						x	x
	Date and Time			x	x							x	
	Capacity Tracker	x		x								x	
	Multilingual Printouts			x								x	
	Pre-set tare		x	x	x	x							x
	Hold Function						x	x	x	x	x	x	
	External Calibration	x	x	x	x	x	x	x	x	x	x	x	
	Internal Memories (PLU)					x							
Power	Rechargeable Battery	x	x	x	x	x			x	x	x	x	
	External Battery Power						x	x					
	AC Adapter	x	x	x	x	x	x	x	x	x	x	x	
	Auto Power off	x	x	x	x	x	x	x	x	x	x	x	

¹ Optional extra



www.adamequipment.com



Adam Equipment Inc
26 Commerce Drive
Danbury, CT 06810

PRESORTED
STANDARD
U.S. POSTAGE
PAID
HARTFORD, CT
PERMIT # 3344